

We simply care



HW APPLIANCE







CASE 2.0 (L, XL)

transport, drivetest, autonomous campaigns



DPS CASE

stable off-grid power supply, voltage protection




HW BOARD, HYBRID

modular terminal installation board

CASE 2.0

Secure & comfortable transport of sensitive measurement equipment. Aimed for car installations that handle all hardware to perform efficient campaign.





Modular design, plug & play modules



Powerful active cooling



Stable, integrated power supply



Highly customizable





CASE 2.0 L










Phones

Scanner

Cooling













CASE 2.0 XL










Scanner

Cooling





DPS CASE



Dedicated Power Supply (DPS) – stable and ready to off-grid use solution to power all measuring equipment



Keep measurement running despite car shutdown




Battery pack runtime up to 1.5h



Immediate reaction (<10ms) in case of power loss




Voltage and thermal protection














Battery Adv. charge



2x 230V AC up to 600W





2 x adaptive cooling fans

BOARD





Demanding installations, mount 12+ devices. Used in car or lab to perform efficient long-term tests.



Modular design unlimited expansion



Intelligent device detection




Individual activated cooling



Highly customizable

HYBRID CASE












Hybrid solution that use BOARD based installation together with the flexibility of CASE 2.0



Fully customizable and modular design that address Customer regs



Intelligent device detection and installation











Phones

Scanner

Cooling

Hybrid XL

3 x f

12 x


2 x (IIII)



MiniPC

Scanner

Cooling



THANK YOU



sales@notelit.pl



+48 791 118 372

